

CoCf

ANNOIPE
ER 24 1990
TY
S AT
PORATION
TRADEMARK

Mary H. Allen - MD

corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate. Triplicate copies of this paper are enclosed.

Dated this 21st day of July, 1998.

Respectfully submitted,



JONATHAN W. RICHARDS
Attorney for Applicant
Registration No. 29,843

WORKMAN, NYDEGGER & SEELEY
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111
Telephone: (801) 533-9800
Facsimile: (801) 328-1707

JWR:pcs
Docket: 13914.223
G:\DATA\WPDOCS\PCS\CON\COC-223.TRX

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D. C. 20231, on this 21st day of July, 1998.


Jonathan W. Richards
Attorney for Applicant
Registration No. 29,843

Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 104165 for \$100.00

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 5,772,560
DATED : June 30, 1998
INVENTOR(S) : Scott R. Watterson, et al

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In Figure 5, referring to the motor, change "264" to -265-;
In Figure 8, change "399" to -391-;
In Figure 11, change "502" to -620-;
In Figure 12, change "502" to -620-;
In Figure 13, change "50" to -501-;
In Figure 13, both instances, change "499" to -499A- and -499B- respectively;
In column 5, line 40, after "width" change "67L" to -67W-;
In column 8, line 4, after "left" change "leg" to -foot-;
In column 8, line 13, after "feet" change "134" to -34-;
In column 8, line 31, after "right upright" change "206" to -208-;
In column 8, line 63, after "motor" change "264" to -265-;
In column 9, line 8, after "cross member" change "265" to -264-;
In column 9, line 8, after "motor" change "264" to -265-;
In column 10, line 40, delete "clamping structure" and insert -top clamp-;
In column 16, line 47, change "15degrees" to -15 degrees-;
In column 17, line 15, change "558" to -556-;
In column 17, line 33, change "572" to -592-;

MAILING ADDRESS OF SENDER:

PATENT NO. 5,772,560

JONATHAN W. RICHARDS
WORKMAN, NYDEGGER & SEELEY
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111